Draft

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

W.R. (Reforms) Dept. – APGDC- Laying of 18" dia Natural Gas Pipe Line crossing at two locations on canals of Pushkara Lift Irrigation Scheme by M/s A.P Gas Distribution Corporation Ltd. (APGDC) - Permission accorded– Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O. Rt. No. 492 **Dated:** 28.02.2022
Read the following:

1. From the ENC(I),Letter No. ENC (I)/Camp office/ Dow/ SE/ EE/ OT.3/AEE.2/ PLIS/ APGDC, Dt: 09.10.2020.
2. Govt. Memo No.ICDO1-COOR0MISC/ 70/2020/REFORMS, Dt. 18.11.2020 & 18.06.2021.
3. From the ENC (I), WRD, Lr.No. ENC(I)/Camp/SE/EE/OT6/ AEE1/PLIS/ APGDC/14 M, Dt. 07.01.2022.

* * *

O R D E R:

In the letters 1st and 3rd read above, the Engineer-in-Chief (Irrigation), Water Resources Department based on the report submitted by the Superintending Engineer, PIPLMC, Tuni, has requested the Government to accord permission to M/s APGDC for laying of 18" dia Natural Gas Pipeline across two distributaries of Thota Venkatachalam Pushkara Lift Irrigation Schemes at mentioned locations i.e Kothapalli distributary at Km 3.40 and Dy-7 of Tail Dy of PLI Main Canal @ Km 0.480.

2. After careful examination of the matter and as recommended by the Engineer-in-Chief(I), Water Resources Department, Vijayawada, hereby accord the permission to M/s Andhra Pradesh Gas Distribution Corporation Limited (APGDC) for laying of 18" dia Natural Gas Pipeline across two distributaries of Thota Venkatachalam Pushkara Lift Irrigation Schemes at mentioned locations i.e Kothapalli distributary at Km 3.40 and Dy-7 of Tail Dy of PLI Main Canal @ Km 0.480, subject to the following terms and conditions:

1. The present cost of the Land for the area which is to be utilized for laying of pipeline is arrived @ 10% of the land value per annum for five years periods as lease amount, may be collected from the agency i.e M/s APGDC and shall deposit in the favour of APAO /W&P, Kakinada. Thereafter, the annual lease amount to be collected is to be reviewed and revised according to the market value.
2. The Security Deposit towards restoration of canal section to its original standards may be collected from the applicant agency i.e. APGDC.
3. The pipeline shall not be taken beneath any CM & CD structures of Water Resources Department and it shall be taken at least 25 mts distance from any structure.
4. The top level of the pipeline proposed should be at least 2.50 mts below the canal bed level. The pipeline laying should be done preferably for major canal having bed width more than 5 mts by trench less method without disturbing the existing embankments.
5. The APGDC should take care that the pipeline should not cause any hindrance to the free flow of canal. The laying of pipeline should be carried out during closure period of canals i.e. during summer season.
6. During laying of pipelines, if the canal prism or banks are disturbed, the firm (i.e. M/s APGDC) is liable for restoration of canals to its original standards with their own cost as directed by the Engineer in Charge of the Department.
7. If any damage is caused to crop and habitation in the vicinity, the sole responsibility shall lie with the applicant firm and adequate compensation should be paid by the firm (M/s APGDC) to the farmers or people affected with the damage.
8. After laying the pipeline, the canal should be restored to its original standards and NOC may be obtained from the concerned officials of Water Resources Department to get release of the Security deposit.
9. Safety of the pipeline laid is the sole responsibility of the firm.
10. The work of the pipeline crossing for major canals or drains shall get

(...3)

inspected by the Departmental Officials.

11. The Water Resources Department has got onerous right over the canals, to take up improvement works/ modernization works at any movement of time on canals/ drains to improve the system by the way of modifying these sectional prism.

12. The applicant agency shall take care of those changes which are deemed to fit to their pipeline at their own cost.

13. The agency shall abide all existing labour laws regarding providing amenities and payments etc., to their labour working in the Premises/Site of this Department and this Department is not responsible for any kind of negligence in enforcing any labour law/act or any compensation to be paid if any up to incident occur.

14. The applicant agency should not construct permanent or temporary structures in the lands of Water Resources Department.

15. The Department is no way responsible for any legal complications arising out of by public or other on the above work operations of the agency.

16. The agency has to intimate 15 days before commencement of work and the work has to be done under the close supervision of Water Resources Department staff only.

17. Industry shall abide any other applicable conditions/norms laid down by the Government /W.R.Department from time to time.

18. The agency should make arrangements for making indicators of pipeline for each crossing on either side of the canal.

19. The concerned Executive Engineer has to collect Centage charges amount from M/s APGDC as per "D" code provisions.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada, the Collector & District Magistrate of East Godavari District and the Chief Engineer, Godavari Delta System, Dowlaiswaram shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

(...4)

File No.ICD01-COOR0MISC/70/2020-REFORMS

GO MS/8/2022/ICD01-Water Resources

-4-

Dr K S Jawahar Reddy I A S
Special Chief Secretary To Govt

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Collector & District Magistrate, East Godavari District.
The Chief Engineer, Godavari Delta System, Dowlaiswaram.
The Managing Director, M/s AFGDC, Kakinada.

Copy to:

The Superintending Engineer, PIPLMC, Tuni.
The Private Secretary to Hon'ble Minister for Water Resources.
The Private Secretary to the Spl. Chief Secretary to Government,
Water Resources Department.
SF/SC.

02/3/22

2/3/22

- 2 MAR 2022
02/03/2022

/ / FORWARDED : : BY ORDER / /

P. R. Bhanumathi
SECTION OFFICER

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

W.R. (Reforms) Dept. – APGDC- Laying of 24"/1 8" dia Natural Gas Pipe Line crossing at two locations on canals of Pushkara Lift Irrigation Scheme by M/s A.P Gas Distribution Corporation Ltd. (APGDC) - Permission accorded– Orders-Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O. Rt. No.492 **Dated: 28.02.2022**

Read the following:

1. From the ENC(I),WRD, Lr. No. ENC (I)/Camp office/ Dow/ SE/ EE/ OT.3/AEE.2/ PLIS/ APGDC, Dt: 09.10.2020.
2. Govt. Memo No.ICDO1-COOR0MISC/ 70/2020/REFORMS, Dt. 18.11.2020 & 18.06.2021.
3. From the ENC (I), WRD, Lr.No. ENC(I)/Camp/SE/EE/OT6/AEE1/ PLIS/ APGDC/14 M, Dt. 07.01.2022.

* * *

O R D E R:

In the letters 1st and 3rd read above, the Engineer-in-Chief (Irrigation), Water Resources Department based on the report submitted by the Superintending Engineer, PIPLMC, Tuni, has requested the Government to accord permission to M/s APGDC for laying of 18" dia Natural Gas Pipeline across two distributaries of Thota Vankatachalam Pushkara Lift Irrigation Schemes at mentioned locations i.e Kothapalli distributary at Km 3.40 and Dy-7 of Tail Dy of PLI Main Canal @ Km 0.480.

2. After careful examination of the matter and as recommended by the Engineer-in-Chief (I), Water Resources Department, Vijayawada, hereby accord the permission to M/s Andhra Pradesh Gas Distribution Corporation Limited (APGDC) for laying of 18" dia Natural Gas Pipeline across two distributaries of Thota Venkatachalam Pushkara Lift Irrigation Schemes at mentioned locations i.e Kothapalli distributary at Km 3.40 and Dy-7 of Tail Dy of PLI Main Canal @ Km 0.480, subject to the following terms and conditions:

1. The present cost of the Land for the area which is to be utilized for laying of pipeline is arrived @ 10% of the land value per annum for five years periods as lease amount, may be collected from the agency i.e M/s APGDC and shall deposit in the favour of APAO/W&P, Kakinada. Thereafter, the annual lease amount to be collected is to be reviewed and revised according to the market value.
2. The Security Deposit towards restoration of canal section to its original standards may be collected from the applicant agency i.e. M/s APGDC.
3. The pipeline shall not be taken beneath any CM & CD structures of Water Resources Department and it shall be taken at least 25 mts distance from any structure.
4. The top level of the pipeline proposed should be at least 2.50 mts below the canal bed level. The pipeline laying should be done preferably for major canal having bed width more than 5 mts by trench less method without disturbing the existing embankments.
5. The APGDC should take care that the pipeline should not cause any hindrance to the free flow of canal. The laying of pipeline should be carried out during closure period of canals i.e. during summer season.
6. During laying of pipelines, if the canal prism or banks are disturbed, the firm (i.e. M/s APGDC) is liable for restoration of canals to its original standards with their own cost as directed by the Engineer in Charge of the Department.

7. If any damage is caused to crop and habitation in the vicinity, the sole responsibility shall lie with the applicant firm and adequate compensation should be paid by the firm (M/s APGDC) to the farmers or people affected with the damage.
8. After laying the pipeline, the canal should be restored to its original standards and NOC may be obtained from the concerned officials of Water Resources Department to get release of the Security Deposit.
9. Safety of the pipeline laid is the sole responsibility of the firm.
10. The work of the pipeline crossing for major canals or drains shall get inspected by the Departmental Officials.
11. The Water Resources Department has got onerous right over the canals, to take up improvement works/ modernization works at any movement of time on canals/ drains to improve the system by the way of modifying these sectional prism.
12. The applicant agency shall take care of those changes which are deemed to fit to their pipeline at their own cost.
13. The agency shall abide all existing labour laws regarding providing amenities and payments etc., to their labour working in the premises/Site of this department and this department is not responsible for any kind of negligence in enforcing any labour law/act or any compensation to be paid if any up to incident occur.
14. The firm should not construct permanent or temporary structures in the lands of Water Resources Department.
15. The Department is no way responsible for any legal complications arising out of by public or other on the above work operations of the agency.
16. The agency has to intimate 15 days before commencement of work and the work has to be done under the close supervision of Water Resources Department staff only.
17. Industry/agency shall abide any other applicable conditions/norms laid down by the Government /W.R. Department from time to time.
18. The agency should make arrangements for making indicators of pipeline for each crossing on either side of the canal.
19. The concerned Executive Engineer has to collect Centage charges amount from M/s APGDC as per "D" code provisions.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada, the Collector & District Magistrate of East Godavari District and the Chief Engineer, Godavari Delta System, Dowlaiswaram shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr. K.S. JAWAHAR REDDY
SPL. CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada.
The Collector & District Magistrate, East Godavari District.
The Chief Engineer, Godavari Delta System, Dowlaiswaram.
The Managing Director, M/s APGDC, Kakinada.

Copy to:
The Superintending Engineer, PIPLMC, Tuni.
The Private Secretary to Hon'ble Minister for Water Resources.
The Private Secretary to the Spl. Chief Secretary to Government,
Water Resources Department.
SF/SC.

// FORWARDED : : BY ORDER //

P.K. Bhamidi
SECTION OFFICER